



METERING

Plasson metering products have been developed according to the UK market demand and Water Utility company requirements.

Comprehensive Solution: Meter boxes, internal metering manifolds and multi-port metering manifolds to suit every need.

Proven Reliability: Many of the elements are standard Plasson products which provide safe and reliable connections for water throughout the world.

Simple to use: All 'O' ring sealed manifolds make assembly on site easy.

Robust Construction: polypropylene and polyethylene are principle materials, well known to be extremely durable.

Large Range: Volumetric meters for chargeable applications as well as Multi-Jet flow meters and even agricultural meters for coping with less than pure water.

Connecting Water Meters

Above Ground

3517 Concentric Meter Mount Kit

Internal - with Drain Off

Code	d	Bag	£ ea
3517015	25 x 15	1	81.79
3517022	25 x 22	1	81.79
3518022	22 x 22	1	86.25



3510 Meter Mount

Internal with drain off

15mm copper connection only

Code	d	Bag	£ ea
3510015	15 x 15	1	36.15



Below Ground

3511 Concentric Meter Mount Kit

Below Ground - No Drain Off

Code	d	Bag	£ ea
3511015	25	1	52.74



Meter Boxes

3513 Standard

Available with cast iron or plastic lids: includes 3511 manifold assembly.



Code	d	Bag	£ ea
3513	c/w cast lid	1	129.50
3514	c/w plastic lid	1	99.52

3543 Adjustable

25mm pushfit for connection. Height adjustable 500mm - 800mm.



Code	d	Bag	£ ea
3543	25	1	129.50

Components for 3513/4



Code	d	Bag	£ ea
3602001	650mm guard tube	1	18.68
3607001	foam insulation plug	1	2.95
3513A	meter box base	1	8.91
3605001	6" surface box cast	1	52.38
3615025	9" surface box plastic	1	26.90

3544 Adjustable for Contaminated Land

Brass 3/4" threaded connection. Height adjustable 500mm - 800mm.



Code	d	Bag	£ ea
3544	3/4"	1	222.61

Multi Occupancy

3524 Manifold 2" Centre Connection

Code	d	Bag	£ ea
3524004	4 Port x 25mm	1	358.99
3524006	6 Port x 25mm	1	397.68



3523 Manifold 2" End Connection

Code	d	Bag	£ ea
3523003	3 Port x 25mm	1	349.91
3523004	4 Port x 25mm	1	401.35
3523006	6 Port x 25mm	1	452.78



3534 Dead Leg Kit

for use with End Connection Manifold

Code	d	£ ea
3534000	dead leg plug kit for end feed 2"	48.10



Blanking off an end feed manifold requires using a dead leg kit to remove the possibility of stagnant water.

3535 Meter Mount Kit A

Connection to 22mm
Copper, PB, PEX

Code	d	Bag	£ ea
3535001	25mm x 22mm	1	117.41



To comply with water regs for multi occupancy dwellings, use kits A or B. Kits contain stop tap, meter housing, double check valve (WRAS) and drain valve (WRAS).

3536 Meter Mount Kit B

Connection to
25mm MDPE

Code	d	Bag	£ ea
3536001	25mm x 25mm	1	120.52



9001 Concentric Water Meter

1 1/2" BSP

Domestic use PN16 positive displacement, ISO 4064 (Class D) Horizontal, vertical or inclined installation position.



Code	Nominal Size	Nominal Flow Rate (m ³ /h)	£ ea
9001	15mm	1.6	113.71



Example of 3524, 3535/6 & water meter assembled.